

26 Lillee Crescent, Tullamarine Vic 3043, Australia - Telephone: +61 (0)3 9310 5566 - Fax: +61 (0)3 9310 5577
Email: sales@airportmetals.com.au

STOCK AVAILABLE EX MELBOURNE WAREHOUSE AS AT 1st SEPTEMBER 2010
FOR CURRENT PRICING CONTACT AIRPORT METALS SALES DEPARTMENT ON ABOVE NUMBERS

BUY 100 FEET OF ANY ONE SIZE OF CHROME MOLY ROUND TUBE
AND DEDUCT 10% FROM THE LIST PRICE

CHROME MOLY ROUND TUBE
MIL-T-6736 Type 4130



OD Inches	WT Inches	OD Inches	WT Inches
0.250	0.035	1.000	0.120
0.250	0.049	1.000	0.188
0.312	0.035	1.125	0.049
0.312	0.065	1.125	0.058
0.3125	0.049	1.125	0.065
0.375	0.035	1.125	0.083
0.375	0.049	1.250	0.035
0.375	0.058	1.250	0.049
0.375	0.065	1.250	0.058
0.375	0.083	1.250	0.065
0.500	0.035	1.250	0.083
0.500	0.049	1.250	0.095
0.500	0.058	1.375	0.049
0.500	0.065	1.375	0.058
0.500	0.120	1.375	0.065
0.625	0.028	1.375	0.083
0.625	0.035	1.375	0.095
0.625	0.049	1.375	0.188
0.625	0.058	1.500	0.049
0.625	0.065	1.500	0.058
0.625	0.083	1.500	0.065
0.750	0.035	1.500	0.083
0.750	0.049	1.500	0.095
0.750	0.058	1.500	0.120
0.750	0.065	1.625	0.065
0.750	0.083	1.625	0.083
0.750	0.095	1.750	0.049
0.750	0.120	1.750	0.065
0.750	0.156	1.750	0.083
0.875	0.035	1.750	0.095
0.875	0.049	1.750	0.120
0.875	0.058	2.000	0.049
0.875	0.065	2.000	0.058
0.875	0.083	2.000	0.065
1.000	0.035	2.000	0.083
1.000	0.049	2.000	0.120
1.000	0.058	2.500	0.120
1.000	0.065	2.500	0.250
1.000	0.083	3.000	0.095
1.000	0.095	3.000	0.250

26 Lillee Crescent, Tullamarine Vic 3043, Australia - Telephone: +61 (0)3 9310 5566 - Fax: +61 (0)3 9310 5577
 Email: sales@airportmetals.com.au

STOCK AVAILABLE EX MELBOURNE WAREHOUSE AS AT 1st SEPTEMBER 2010
FOR CURRENT PRICING CONTACT AIRPORT METALS SALES DEPARTMENT ON ABOVE NUMBERS

ALUMINIUM ROUND TUBE
 Seamless Drawn



Type - Temper	Specification	OD Inches	WT Inches	Type - Temper	Specification	OD Inches	WT Inches
2024-T3	WW-T-700/3	0.250	0.035	6061-0	WW-T-700/6	1.000	0.035
2024-T3	WW-T-700/3	0.3125	0.035	6061-T4	MIL-T-7081	0.375	0.049
2024-T3	WW-T-700/3	0.3125	0.049	6061-T6	WW-T-700/6	0.250	0.035
2024-T3	WW-T-700/3	0.375	0.049	6061-T6	WW-T-700/6	0.250	0.049
2024-T3	WW-T-700/3	0.500	0.035	6061-T6	WW-T-700/6	0.250	0.058
2024-T4	WW-T-700/3	0.500	0.058	6061-T6	WW-T-700/6	0.375	0.035
2024-T3	WW-T-700/3	0.500	0.065	6061-T6	WW-T-700/6	0.375	0.049
2024-T3	WW-T-700/3	0.625	0.058	6061-T6	WW-T-700/6	0.500	0.035
2024-T3	WW-T-700/3	0.750	0.035	6061-T6	WW-T-700/6	0.500	0.049
2024-T4	WW-T-700/3	0.750	0.049	6061-T6	WW-T-700/6	0.500	0.058
2024-T3	WW-T-700/3	0.750	0.058	6061-T6	WW-T-700/6	0.625	0.035
2024-T3	WW-T-700/3	0.750	0.065	6061-T6	WW-T-700/6	0.625	0.049
2024-T3	WW-T-700/3	0.875	0.049	6061-T6	WW-T-700/6	0.750	0.035
2024-T3	WW-T-700/3	1.000	0.035	6061-T6	WW-T-700/6	0.750	0.049
2024-T3	WW-T-700/3	1.000	0.049	6061-T6	WW-T-700/6	0.750	0.058
2024-T3	WW-T-700/3	1.000	0.065	6061-T6	WW-T-700/6	0.750	0.065
2024-T3	WW-T-700/3	1.250	0.035	6061-T6	WW-T-700/6	0.750	0.125
2024-T3	WW-T-700/3	1.250	0.049	6061-T6	WW-T-700/6	0.875	0.035
2024-T3	WW-T-700/3	1.250	0.065	6061-T6	WW-T-700/6	0.875	0.049
2024-T3	WW-T-700/3	1.375	0.065	6061-T6	WW-T-700/6	0.875	0.058
2024-T3	WW-T-700/3	1.500	0.035	6061-T6	WW-T-700/6	0.875	0.120
2024-T3	WW-T-700/3	1.500	0.049	6061-T6	WW-T-700/6	1.000	0.035
2024-T3	WW-T-700/3	1.500	0.095	6061-T6	WW-T-700/6	1.000	0.058
2024-T3	WW-T-700/3	1.750	0.049	6061-T6	WW-T-700/6	1.000	0.065
2024-T3	WW-T-700/3	2.000	0.065	6061-T6	WW-T-700/6	1.000	0.125
5052-0	WW-T-700/4	0.1875	0.035	6061-T6	WW-T-700/6	1.125	0.035
5052-0	WW-T-700/4	0.188	0.028	6061-T6	WW-T-700/6	1.125	0.058
5052-0	WW-T-700/4	0.250	0.028	6061-T6	WW-T-700/6	1.125	0.125
5052-0	WW-T-700/4	0.250	0.035	6061-T6	WW-T-700/6	1.250	0.035
5052-0	WW-T-700/4	0.3125	0.035	6061-T6	WW-T-700/6	1.250	0.049
5052-0	WW-T-700/4	0.375	0.035	6061-T6	WW-T-700/6	1.250	0.065
5052-0	WW-T-700/4	0.375	0.049	6061-T6	WW-T-700/6	1.250	0.125
5052-0	WW-T-700/4	0.500	0.035	6061-T6	WW-T-700/6	1.500	0.035
5052-0	WW-T-700/4	0.500	0.065	6061-T6	WW-T-700/6	1.500	0.065
5052-0	WW-T-700/4	0.625	0.035	6061-T6	WW-T-700/6	1.750	0.035
5052-0	WW-T-700/4	0.750	0.035	6061-T6	WW-T-700/6	1.750	0.065
5052-0	WW-T-700/4	0.750	0.049	6061-T6	WW-T-700/6	1.875	0.058
5052-0	WW-T-700/4	1.000	0.035	6061-T6	WW-T-700/6	2.000	0.058
5052-0	WW-T-700/4	1.000	0.049	6061-T6	WW-T-700/6	2.000	0.083
5052-0	WW-T-700/4	1.500	0.035	6061-T6	WW-T-700/6	3.000	0.065
				6061-T6	MIL-T-7081	1.000	0.049

26 Lillee Crescent, Tullamarine Vic 3043, Australia - Telephone: +61 (0)3 9310 5566 - Fax: +61 (0)3 9310 5577
Email: sales@airportmetals.com.au

STOCK AVAILABLE EX MELBOURNE WAREHOUSE AS AT 1st SEPTEMBER 2010
FOR CURRENT PRICING CONTACT AIRPORT METALS SALES DEPARTMENT ON ABOVE NUMBERS

**CHROME MOLY SQUARE
& RECTANGULAR TUBE**

MIL-T-6736 Type 4130N




Outside Inches A x B	WT Inches C
0.500 x 0.500	0.049
0.625 x 0.625	0.065
0.750 x 0.750	0.035
0.750 x 0.750	0.065
0.875 x 0.875	0.065
1.000 x 1.000	0.035
1.000 x 1.000	0.049
1.000 x 1.000	0.065
1.000 x 1.500	0.065
1.250 x 1.250	0.065
1.500 x 1.500	0.065


**201 STAINLESS STEEL
SUPER- BUFFED
WELDED ROUND TUBE**

Economical, replaces chrome,
re-polishes after welding

OD Inches	WT Inches
0.750	0.065
0.875	0.065
1.000	0.065



STREAMLINE TUBE



Material	A Inches	B Inches	WT Inches
4130N	1.012	0.428	0.035
4130N	1.145	0.515	0.035
4130N	1.660	0.710	0.049
4130N	2.023	0.857	0.049
6061-T6	1.145	0.515	0.035
6061-T6	1.660	0.710	0.049

STAINLESS STEEL TUBE



Type	Specification	OD Inches	WT Inches
T304	MIL-T-8504	0.250	0.020
T304	MIL-T-8504	0.250	0.028
T304	MIL-T-8504	0.250	0.035
T304	MIL-T-8504	0.375	0.035
T304 1/8 HD	MIL-T-6845	0.250	0.028
T304 1/8 HD	MIL-T-6845	0.250	0.035
T304 1/8 HD	MIL-T-6845	0.3125	0.020
T304 1/8 HD	MIL-T-6845	0.3125	0.028
T304 1/8 HD	MIL-T-6845	0.375	0.035
T304 1/8 HD	MIL-T-6845	0.625	0.028
T304 1/8 HD	MIL-T-6845	0.750	0.035
T304 1/8 HD	MIL-T-6845	0.750	0.042
T304 1/8 HD	MIL-T-6845	0.750	0.049
T304 1/8 HD	MIL-T-6845	1.000	0.035
T304 1/8 HD	MIL-T-6845	1.000	0.049
T304 1/8 HD	MIL-T-6845	1.000	0.058
T316	ASTM-A-269	0.125	0.020
T316	ASTM-A-269	0.250	0.035

Type	Specification	OD Inches	WT Inches
T321	MIL-T-8808	0.250	0.035
T321	MIL-T-8808	0.3125	0.058
T321	MIL-T-8808	0.375	0.020
T321	MIL-T-8808	0.375	0.028
T321	MIL-T-8808	0.375	0.035
T321	MIL-T-8808	0.500	0.020
T321	MIL-T-8808	0.500	0.065
T321	MIL-T-8808	0.625	0.035
T321	MIL-T-8808	0.750	0.028
T321	MIL-T-8808	0.750	0.035
T321	MIL-T-8808	0.875	0.035
T321	MIL-T-8808	1.000	0.028
T321	MIL-T-8808	1.000	0.065
T321	MIL-T-8808	1.750	0.035
T321	MIL-T-8808	1.750	0.049
T321	MIL-T-8808	2.000	0.035
T347	MIL-T-8808	0.3125	0.035
T347	MIL-T-8808	0.4375	0.083
T347	MIL-T-8808	0.500	0.035
T347	MIL-T-8808	0.750	0.028
T347	MIL-T-8808	1.000	0.016
T347	MIL-T-8808	1.000	0.035

26 Lillee Crescent, Tullamarine Vic 3043, Australia - Telephone: +61 (0)3 9310 5566 - Fax: +61 (0)3 9310 5577
Email: sales@airportmetals.com.au

STOCK AVAILABLE EX MELBOURNE WAREHOUSE AS AT 1st SEPTEMBER 2010
FOR CURRENT PRICING CONTACT AIRPORT METALS SALES DEPARTMENT ON ABOVE NUMBERS

4130 WELD-IN THREADED TUBE ADAPTORS

Part No.	Tube OD Inches	Tube WT Inches	UND Dia.	TPI	Thread
TA50058X5/16-24L	0.500"	0.058"	5/16"	24	L
TA50058X5/16-24R	0.500"	0.058"	5/16"	24	R
TA62058X3/8-24L	0.625"	0.058"	3/8"	24	L
TA62058X3/8-24R	0.625"	0.058"	3/8"	24	R
TA75065X3/8-24L	0.750"	0.065"	3/8"	24	L
TA75065X3/8-24R	0.750"	0.065"	3/8"	24	R
TA87058X3/8-24L	0.875"	0.058"	3/8"	24	L
TA87058X3/8-24R	0.875"	0.058"	3/8"	24	R
TA10058X1/2-20L	1.00"	0.058"	1/2"	20	L
TA10058X1/2-20R	1.00"	0.058"	1/2"	20	R
TA10065X1/2-20L	1.00"	0.065"	1/2"	20	L
TA10065X1/2-20R	1.00"	0.065"	1/2"	20	R
TA12565X5/8-18R	1.25"	0.065"	5/8"	18	R